



New ICD-10-CM Codes for Neurocognitive Disorders Effective October 1 |

Psychiatric News

<https://psychnews.psychiatryonline.org/doi/10.1176/appi.pn.2022.10.10.34>



Table 2. ICD-10-CM codes for Major Neurocognitive Disorder

F01 Major Vascular NCD

Codes sunsetted on September 30

- F01.50 Major vascular NCD, without behavioral disturbance
- F01.51 Major vascular NCD, with behavioral disturbance

Updated codes effective October 1

- F01.xy Major vascular NCD

x=current severity, y=accompanying behavioral or psychological disturbance

- F01.Ay Major vascular NCD, mild...
- F01.By Major vascular NCD, moderate...
- F01.Cy Major vascular NCD, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance

F02 Major NCD due to another medical condition

Codes sunsetted on September 30

- F02.80 Major NCD due to AMC, without behavioral disturbance
- F02.81 Major NCD due to AMC, with behavioral disturbance

Updated codes effective October 1

- F02.xy Major NCD due to [name of another medical condition]

x=current severity, y=accompanying behavioral or psychological disturbance

- F02.Ay Major NCD due to AMC , mild...
- F02.By Major NCD due to AMC, moderate...
- F02.Cy Major NCD due to AMC, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance

F03 Major NCD due to unknown etiology

Updated codes effective October 1

(Note: R41.9 will continue to apply to Unspecified Neurocognitive Disorder)

- F03.xy Major NCD due to unknown etiology

x=current severity, y=accompanying behavioral or psychological disturbance

- F03.Ay Major NCD due unknown etiology, mild...
- F03.By Major NCD due to unknown etiology, moderate...
- F03.Cy Major NCD due to unknown etiology, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance



New ICD-10-CM Codes for Neurocognitive Disorders Effective October 1 |

Psychiatric News