



<https://psychnews.psychiatryonline.org/doi/10.1176/appi.pn.2022.10.10.34>

Table 2. ICD-10-CM codes for Major Neurocognitive Disorder

F01 Major Vascular NCD

Codes sunsetted on September 30

- **F01.50** Major vascular NCD, without behavioral disturbance
- **F01.51** Major vascular NCD, with behavioral disturbance

Updated codes effective October 1

- **F01.xy** Major vascular NCD

x=current severity, y=accompanying behavioral or psychological disturbance

- **F01.Ay** Major vascular NCD, mild...
- **F01.By** Major vascular NCD, moderate...
- **F01.Cy** Major vascular NCD, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance

F02 Major NCD due to another medical condition

Codes sunsetted on September 30

- **F02.80** Major NCD due to AMC, without behavioral disturbance
- **F02.81** Major NCD due to AMC, with behavioral disturbance

Updated codes effective October 1

- **F02.xy** Major NCD due to [name of another medical condition]

x=current severity, y=accompanying behavioral or psychological disturbance

- **F02.Ay** Major NCD due to AMC, mild...
- **F02.By** Major NCD due to AMC, moderate...
- **F02.Cy** Major NCD due to AMC, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance

F03 Major NCD due to unknown etiology

Updated codes effective October 1

(Note: R41.9 will continue to apply to Unspecified Neurocognitive Disorder)

- **F03.xy** Major NCD due to unknown etiology

x=current severity, y=accompanying behavioral or psychological disturbance

- **F03.Ay** Major NCD due unknown etiology, mild...
- **F03.By** Major NCD due to unknown etiology, moderate...
- **F03.Cy** Major NCD due to unknown etiology, severe...
 - .x11 ...with agitation
 - .x2 ...with psychotic disturbance
 - .x3 ... with mood symptoms
 - .x4 ...with anxiety
 - .x18 ...with other behavioral or psychological disturbance
 - .x0 ...without accompanying behavioral or symptomatic disturbance



Table 1. Expanded Behavioral Disturbance Specifiers

- **With agitation:** The cognitive disturbance is accompanied by clinically significant agitation.
- **With psychotic disturbance:** The cognitive disturbance is accompanied by delusions or hallucinations.
- **With mood symptoms:** The cognitive disturbance is accompanied by clinically significant mood symptoms (for example, dysphoria, irritability, euphoria).
- **With anxiety:** The cognitive disturbance is accompanied by clinically significant anxiety.
- **With other behavioral or psychological disturbance:** The cognitive disturbance is accompanied by other clinically significant behavioral or psychological disturbances (for example, apathy, aggression, disinhibition, disruptive behaviors or vocalizations, sleep or appetite/eating disturbance).
- **Without accompanying behavioral or psychological disturbance:** The cognitive disturbance is not accompanied by any clinically significant behavioral or psychological disturbance.